



WATCH HILL TO NEW HAVEN HARBOR

LONG ISLAND SOUND

RHODE ISLAND - CONNECTICUT - NEW YORK



+Preceded by announcement on 2182 kHz and 156.800 MHz
Distress calls for small craft are made on 2182 kHz or channel 16 (156.800 MHz) VHF

MARINE WEATHER FORECASTS		OFFICE HOURS
NATIONAL WEATHER SERVICE	TELEPHONE NUMBER	
New York, NY	(631) 924-0517	9:00 AM - 5:00 PM M-F Recorded forecast only other times
Boston/Taunton, MA	(508) 828-2672 * (508) 822-0634	8:00 AM - 5:00 PM M-F 24 hours
Portland (Gray), ME	(207) 688-3216 * (207) 688-3210	7:00 AM - 5:00 PM M-F 24 hours daily


PUBLIC BOATING INSTRUCTION PROGRAMS

The United States Power Squadron and U.S. Coast Guard Auxiliary, national organizations of boaters, conduct extensive boating instruction programs in communities throughout the United States. For information regarding these educational courses contact the following sources:

USPS - Local Squadron Commander or USPS Headquarters, Post Office Box 30423, Raleigh, North Carolina 27612, 919-821-0281.

USCGAUX - 1st Coast Guard District, 408 Atlantic Ave., Boston, MA 02110-2209. Tel: 617-223-8310 or USCG Headquarters (G-BAU), Washington, D.C. 20593-0001.

This nautical chart has been designed to promote safe navigation. The National Ocean Service encourages users to submit corrections, additions, or comments for improving this chart to the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.



		DEPTHS		SERVICES				SUPPLIES																						
		CHART	APPROACH	FEET	(REPORTED)	REPAIRS	MARINE	HULL	MOTOR	BOAT RENTAL	FUEL	FOOD	LODGING	CAMPING	WATER	WASTE	BATH	DIESEL	OIL	GASOLINE										
																					VERTICAL	ELECTRICITY	CAPACITY	CARGO	EQUIPMENT					
																										REPORTED	ELECTRICITY	CAPACITY	CARGO	EQUIPMENT
NO	SMALL CRAFT FACILITY	A	10	8	BME	HM	50	30																						
88	NORWEST MARINE	A	10	8	BE	HM	60																							
15	ODDSON BOAT YARD INC.	A	15	7	BME	HMR																								
19	MYSTIC RIVER MARINA INC.	A	20	20	BE	HMR	35																							
25	BREWERS YACHT YARD AT MYSTIC	A	9	9	BE	HMR																								
39	BURRS YACHT HAVEN INC.	B	12	9	BME		20																							
44	CROCKER'S BOAT YARD INC.	B	12	12	BE	HMR	75																							
51	AMERICAN ON THE WHARF	B	15	15	S																									
52	CAPTAIN JOHN'S SPORT FISHING CENTER	B	10	6	BE	S																								
53	NANTIC BAY MARINA	B	10	5	BE	S	HMR	6																						
54	MAGO POINT MARINA	B	6	6	BE																									
57	PORT NANTIC MARINA	B	6	6	BE	HMR	25																							
60	BAYREUTHER BOAT YARD INC.	B	5	6	BME	S	HM	30																						
63	SAYBROOK POINT MARINA	C	20	18	BE																									
67	RAGGED ROCK MARINA	B	6	6	BE	HMR	20																							
68	BETWEEN THE BRIDGES MARINA	B	10	10	BE	HMR																								
70	OAK LEAF MARINA, INC.	B	25	20	BE	S	HMR	35																						
75	BREWER DAUNTLESS MARINA	B	8	11	BME																									
77A	BREWER FERRY POINT MARINA	B	5	5	BE	HMR	35																							
78	ESSEX ISLAND MARINA	B	10	6	BE		30																							
79	BREWER DAUNTLESS SHIPYARD	B	8	8	BE	HMR	35																							
80	BREWER PILOTS POINT MARINA SOUTH	D	8	10	BE	HMR	80																							
81	BREWER PILOTS POINT MARINA NORTH	D	8	10	BE	HMR	80																							
86	PIER 70 MARINA	D	6	3	BE	S	HMR																							
90	BREWER PILOTS POINT MARINA EAST	D	10	12	BE	HMR	80	70																						
93	CEDAR ISLAND MARINA	D	7	8	BE	HMR	30																							
94A	RIVERSIDE BASIN MARINA	D	6	6	BE	HM	25																							
95A	RITTS MARINE CENTER	D	6	6	BE	HMR	6																							
97	PORT CLINTON MARINA	D	6	6	BE	N		15	50																					
113	PIER 88 MARINA	F	10	10	BME	HMR	40																							

THE LOCATIONS OF THE ABOVE PUBLIC MARINE FACILITIES ARE SHOWN ON THE CHART BY MAGENTA NUMBERS AND LEADERS. THE TABULATED "APPROACH-FEET (REPORTED)" IS THE DEPTH AVAILABLE FROM THE NEAREST NATURAL OR DREDGED CHANNEL TO THE FACILITY. THE TABULATED "PUMP-OUT STATION" IS DEFINED AS FACILITIES AVAILABLE FOR PUMPING OUT BOAT HOLDING TANKS.

TIDAL INFORMATION					
PLACE		Height referred to datum of soundings (MLW)			
NAME	(LAT/LONG)	Mean High	Mean	Mean	
		Water	High	Low	
		feet	feet	feet	feet
Watch Hill Point	(41°18'N 71°52'W)	2.9	2.7	0.1	
Swan East Pond	(41°15'N 72°02'W)	2.8	2.5	0.2	
Norwich	(41°37'N 70°05'W)	3.6	3.3	0.3	
Saybrook Jetty	(41°16'N 72°21'W)	4.2	3.8	0.3	
Lyme highway bridge	(41°19'N 72°21'W)	4.1	3.8	0.3	
Sachsen Head	(41°18'N 72°43'W)	5.9	5.6	0.2	
Westerly	(41°17'N 71°50'W)	3.1	2.8	0.2	
St. John	(41°32'N 72°38'W)	3.0	2.8	0.2	
New Haven Harbor	(41°17'N 72°55'W)	6.7	6.4	0.2	
Niantic	(41°20'N 72°11'W)	3.0	2.7	0.2	
Medfordville	(41°34'N 72°39'W)	2.5	2.3	0.1	
South Hartford	(41°45'N 72°40'W)	2.3	2.0	0.1	

Dashes (-) located in datum column indicate unavailable datum values for a tide station. Real time water levels, tide predictions, and tidal current predictions are available on the Incoast from <http://tideinfo.ncei.noaa.gov>

LOGARITHMIC SPEED SCALE

To find **SPEED**, place one point of dividers on distance run (in any unit) and the other on minutes run. Without changing divider spread, place right point on 60 and left point will then indicate speed in units per hour. Example: with 4.0 nautical miles run in 15 minutes, the speed is 16.0 knots.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL OCEAN SERVICE

12372

12372

EDITION 36 AUGUST 2013

Last Correction: 9/4/2013. Cleared through:
 LNM: 0316 (1/19/2016), NM: 0416 (1/23/2016), CHS: 1215 (12/25/2015)

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).

If the line does not measure six inches (152 millimeters), this copy is not certified safe for navigation.

This chart was distributed as a PDF (Portable Document Format). Printing PDFs may alter the chart scale, color, or legibility that may impact suitability for navigation. Printed charts provided by NOAA certified Print on Demand (POD) providers fulfill a vessel's requirement to carry a navigational chart "published by the National Ocean Service" in accordance with federal regulations, including but not limited to 33 C.F.R. 164.33(a), 33 C.F.R. 164.72(b), and 46 C.F.R. 28.225(a). POD charts meet stringent print standards and can be recognized by an official certification of authenticity printed on the chart. A list of POD providers can be found at: nauticalcharts.noaa.gov/pod/

